Application No. Applicant(s) Supplemental Notice of Allowability 09/664,361 TOBITA, YOUICHI Examiner Art Unit Jose H Alcala 2827 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. A This communication is responsive to amendment filed on 12/30/02. 2. The allowed claim(s) is/are 1-11. 3. The drawings filed on ____ are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🔯 All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. __ 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application). (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE 7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No. (b) including changes required by the proposed drawing correction filed 30 December 2002, which has been approved by the Examiner. (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the top margin (not the back) of each sheet. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson. 9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1 Notice of References Cited (PTO-892)

U.S. Palent and Trademark Office PTO-37 (Rev. 04-01)

of Biological Material

3 Notice of Draftperson's Patent Drawing Review (PTO-948)

7 Examiner's Comment Regarding Requirement for Deposit

5⊠ Information Disclosure Statements (PTO-1449), Paper No. 3.

2 Notice of Informal Patent Application (PTO-152)

8 Examiner's Statement of Reasons for Allowance

4⊠ Interview Summary (PTO-413), Paper No. 10

6 Examiner's Amendment/Comment

9□ Other

Application/Control Number: 09/664,361

Art Unit: 2827

Supplemental Notice of Allowance

1. This supplemental Notice of Allowance is submitted in response to telephone conversation with Yuriko on 6/4/03, in order to include in the record, the previously considered Information Disclosure Statement filed on 9/18/00.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the title: Replace title with: --Multilayered wiring substrate with dummy wirings in parallel to signal wirings --.

Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance: The prior art fails to teach, disclose, or suggest, either alone or in combination, at least on claim 1 a multi-layer circuit board comprising: a plurality of multilayered wiring layers, at least one of said multilayered wiring layers comprising a signal wiring group made by a plurality of signal wirings disposed in parallel with one another; and dummy wirings disposed in atleast one of said multilayered wiring layers, outside said signal wiring group, and in

Application/Control Number: 09/664,361

Art Unit: 2827

parallel to said signal wirings, at least one of said dummy wirings being disposed at each side of said signal wiring group; and at least on claim 10 a multi-layer circuit board comprising: a plurality of multilayered wiring layers, at least one of said multilayered wiring layers comprising a signal wiring group made by a plurality of signal wirings disposed in parallel with one another; through holes formed in a stacking direction of said wiring layers and disposed in each clearance between said signal wirings; a dummy through hole extending in said stacking direction, disposed outside said signal wiring group; and conductive layers disposed inside said through holes and said dummy through hole, respectively.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

Conclusion

- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jose H Alcala whose telephone number is (703) 305-9844. The examiner can normally be reached on Monday to Friday.
- 6. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Talbott can be reached on (703) 305-9883. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-3431 for regular communications and (703) 305-3431 for After Final communications.

Application/Control Number: 09/664,361

Art Unit: 2827

Page 4

7. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

JHA June 4, 2003

CAPCHUSORY PATENT EXAMINER

PENNOLOGY CENTER 2800